VIGORELLI

FRAME KIT

FRAME WEIGHT (M) 1550 g FORK WEIGHT (M) 350 g BOTTOM BRACKET BSA MAX TYRE


28 mm

FORK RAKE
45 mm









GEOMETRY

	S1	S	T1	T	H/T	A	В	R	C	F	WB	E	FORK	STACK	REACH
XS	520	480	500	507	95	73	73,5	45	377	543	914	50	368	478	359
S	550	510	526	535	115	73	74	45	377	572	944	50	368	497	384
M	570	530	558	567	130	73,5	74	45	377	597	968	50	368	514	410
L	590	550	587	598	145	74	74	45	377	622	993	50	368	530	435
XL	605	565	621	632	160	74	73,5	45	377	651	1022	50	368	545	460



BLADE LIKE SEAT TUBE The blade like seatpost and the dedicated aero alu seat clamp, all contribute to the best performance in terms of minimised wind resistance, increased stiffness and improved reactivity. Clean internal routing for the rear brake.

UCI APPROVED Vigorelli frame is made of Columbus Airplane Triple butted alloy tubing, UCI approved for track performance.

SHARP CORNERING PRECISION The ultra-light aerospace Columbus Futura Caliper fork and the tapered head tube provide an extremely sharp riding experience, enhancing its precision while cornering.



L OI LOO									
XS (52) - S (55) - M (57) - L (59) - XL (60,5)									
Columbus Airplane Triple Butted Alloy									
IS 42/28,6 IS 52/40									
Dedicated Aero Alu Seatpost L350									
Dedicated Aero Seat Clamp									
BSA 68 mm									
/									
Rear Brake Internal Routing									
Rainbow									
up to 700x28 c									
Columbus Futura Caliper 1-1/8" - 1-1/2" Carbon Monoc.									
Frame 1550 g. (size M) Fork 350 g. (uncut) Seatpost 200 g.									
Standard Rim Brake									
Front QR 100mm - Rear QR 120mm / Stainless Steel Removable Plates									
Seatpost / Seatclamp / Headset - Expander									





TUTTO PLUS

віке weight (м) **10,2 Kg** PRESS FIT

BSA

MAX TYRE

45 mm

FORK RAKE

45 mm


COMPLETE BIKE



PERFORMANCE

11111

CRITERIUM



GEOMETRY

S1	S	T1	T	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
520	480	510	506	90	71,5	75,5	45	425	579	987	60	392	515	378
540	500	540	537	100	72,5	75,5	45	425	595	1003	60	392	528	398
560	520	560	560	110	72	74,5	45	425	616	1024	60	392	536	410
590	550	585	585	130	73,5	74	45	425	622	1030	60	392	560	424
	540	540 500 560 520	540 500 540 560 520 560	520 480 510 506 540 500 540 537 560 520 560 560	520 480 510 506 90 540 500 540 537 100 560 520 560 560 110	520 480 510 506 90 71,5 540 500 540 537 100 72,5 560 520 560 560 110 72	520 480 510 506 90 71.5 75.5 540 500 540 537 100 72.5 75.5 560 250 560 560 100 72 74.5	520 480 510 506 90 71.5 75.5 45 540 500 537 100 72.5 75.5 45 560 520 560 560 110 72 74.5 45	520 480 510 506 90 71.5 75.5 45 425 540 500 540 537 100 72.5 75.5 45 425 560 320 560 560 72 74.5 45 425	520 480 510 506 90 71.5 75.5 45 425 579 540 500 537 100 72.5 75.5 45 425 595 560 520 560 560 10 72 74.5 45 425 16	520 480 510 506 90 71.5 75.5 45 425 579 987 540 500 540 537 100 72.5 75.5 45 425 595 103 560 520 560 560 100 72 74.5 45 425 616 1024	520 480 510 506 90 71.5 75.5 45 425 579 987 60 540 500 540 537 100 72.5 75.5 45 425 595 1003 60 560 520 560 560 10 72 74.5 45 425 61 1024 60	520 480 510 506 90 71,5 75,5 45 425 579 987 60 392 540 500 540 537 100 72,5 75,5 45 425 595 100 60 392 560 520 560 560 110 72 74,5 45 425 616 1024 60 392	

ASSEMBLY

SINGLE SPEED

	ONOLE OF LED
Drivetrain	/
Handlebar	Cinelli Flat Handlebar Ø 31,8 - 15 mm Rise / S 680 - M 680 - L 680 - XL 680
Stem	Cinelli 6061 Ø 31,8 - Angle 6° - H 40 mm / S 90 - M 90 - L 100 - XL 100
Seatpost	Cinelli 6061 Ø 27.2 - L 350 mm
Shifters	/
Brakes	Tektro (CL-330TS) Lever - Ø 22,2 / Tektro (C-310) V-Brake Front & Rear
Rotors	/
Ft. derailleur	7
R. derailleur	/
Crankset	Lasco CNC 46t / S 170 - M 170 - L 170 - XL 170
Cassette	Shining Singlespeed 18t
Chain	KMC (ZI)
Wheelset	Shining (A-M3) 700C - 32H - KT Hub (DSPF) front / Shining (A-M3) 700C - 32H - KT Hub (5VAR) rear
Tyres	Kenda Kwick-Trax 700x35c
Saddle	DDK Black



HEAVY LOAD CAPACITY The front steel fork with 45mm rake has a heavy load original segmented crown design with the possibility to assemble a front carrier together with 45c tyre passage and front brake mounts.

WIDE CLEARANCE Frame and fork clear up to 45c tyres allowing to use both slick as well as cyclocross/gravel tyres. Internal cable routing for the rear brake.

ALL IN ONE The rear stays has been completely redesigned to allow fitting of the rear derailleur and thus increasing the possibilities of uses of the frame. The track-type dropouts are equipped with a peduncle to fit the rear derailleur and the OLD is 130mm, so that the traditional road rear hub can also be used.



Sizes	S (52) - M (54) - L (56) - XL (59)
Material	Columbus Cromor Tubeset
Headset	EC 34/28,6 EC 34/30
Seatpost	☑ 27,2 mm
Seat Clamp	Ø 29,8
BB Shell	BSA 68 mm
Ft. derailleur	Clamp Ø 28,6 mm (not included)
Routing	Full External
Color	Chrystal Blue Persuasion
Tyre Clear.	up to 700x45 mm
Fork	Columbus Steel 1-1/8"
Weight	Frame 2100 g. (size M) Fork 1150 g. (uncut)
Brake	Front & Rear Removable V-Brake Pivot Studs
Dropouts ST	Front QR 100 mm / Rear QR 130 mm
Highlights	Ft Light Hole / Ft & Re Fender Derailleur Compatibility & Rack Evelets



GAZZETTA


BIKE WEIGHT (M) 9,5 Kg

BOTTOM BRAKET **BSA**

MAX TYRE 25 mm



PERFORMANCE



GEOMETRY

	S1	S	T1	T	H/T	A	В	R	C	F	WB	E	FORK	STACK	REACH
XS	505	480	525	520	105	73,5	75	35	409	562	964	58	379	523	385
S	525	500	530	530	115	73,5	75	35	409	567	969	58	379	532	387
M	555	525	565	565	145	73,5	75	35	409	603	1005	58	379	561	415
L	595	570	595	595	185	73,5	75	35	409	634	1036	58	379	599	434

ASSEMBLY

SINGLE SPEED

7
Cinelli Flat Handlebar Ø 31,8 - 15 mm Rise / XS 680 - S 680 - M 680 - L 680
Cinelli 6061 Ø 31,8 - Angle 6° - H 40 mm / S 90 - M 90 - L 100 - XL 100
Cinelli 6061 Ø 27,2 - L 350 mm
/
Promax RC-452 Front & Rear
/
/
/
Lasco 46t / S 170 - M 170 - L 170 - XL 170
17t Fixed Cog / Freewheel 18t (Included)
KMC Z5ID
Shining (A-M6) 700C - 32H - KT Hub Front / Rear
Duro Hypersonic 700x25c
DDK Black



COLUMBUS CROMOLLY Gazzetta frame is made of Columbus Cromor double butted tubeset. Minimal in the esthetic and attractive, the micro-welded TIG and the steel tubes make it a strong and reliable machine.

FLIP FLOP HUB Gazzetta comes in its traditional fixed gear configuration. The double sided hub is free wheel prepared for those urban riders who fancy other riding styles.

RIM BRAKE Flat wide handlebar and rim brakes complete the feature of this clean and low maintenance urban classic.



IIIAIIII	L OI LOO
Sizes	XS (50,5) - S (52,5) - M (55,5) - L (59,5)
Material	Columbus Cromor Steel Double Butted Tubeset
Headset	EC 34/28,6 EC 34/30
Seatpost	Ø 27,2 mm
Seat Clamp	Integrated
BB Shell	BSA 68 mm
Ft. derailleur	/
Routing	Full External
Color	Grey Sky Morning
Tyre Clear.	up to 700x25 mm
Fork	Columbus Cr-Mo Steel 1-1/8"
Weight	Frame 2000 g. (size M) Fork 850 g. (uncut)
Brake	Standard Rim Brake
Dropouts ST	Front QR 100 mm - Rear QR 120 mm
Highlights	Flip Flop Hub



SUPERCORSA PISTA

FRAME WEIGHT (M) 1780 g FORK WEIGHT 670 g BOTTOM BRACKET ITA MAX TYRE


25 mm

FRAME KIT



PERFORMANCE

CRITERIUM







TRADITION AND TECHNOLOGY Columbus Spirit Super Pista tubes. Track fork with flat head and curved blades. Conical down tube improves lateral stiffness in the bottom

bracket area.

Colori di serie:





GEOMETRY

	T	A	В	R	C	F	WB	E	STACK	REACH
49	510	72	75	35	388	567	946	60	488	379
50	520	73	75	35	388	566	946	60	500	385
51	525	73	75	35	388	568	948	60	505	389
52	535	73	75	35	388	569	949	60	515	397
53	540	73	75	35	388	571	951	60	520	401
54	545	74	75	35	388	572	952	60	532	402
55	550	74	75	35	388	575	955	60	542	405
56	555	74,5	74,5	35	388	578	958	60	553	402
57	560	74,5	74	35	390	580	962	60	562	399
58	565	74,5	74	35	390	585	967	60	567	402
59	570	75	74	35	390	583	965	60	578	404
60	575	75	74	35	390	586	968	60	588	407
61	580	75	74	35	390	592	975	60	598	409

Sizes	49 to 61 (1 cm) - Made to Measure									
Material	Columbus Sirit Super Pista Double Butted Tubeset									
leadset	C 3D/25,4-24TPI EC 3D/26									
Seatpost	☑ 27.2 mm									
Seat Clamp	Integrated									
3B Shell	ITA 70 mm									
t. derailleur	/									
Routing	/									
Color	Rosso Ferrari-Bianco Perla-Azzurro Laser-Titanium Grey-Verde Jaguar-Black Tie-Blu China-Giallo Curry									
Tyre Clear.	up to 700x25 mm									
ork	Columbus SL Pista I" Threaded									
N eight	Frame 1780 g. (size M) Fork 670 g. (uncut)									
3rake	/									
Oropouts ST	Front QR 100 mm - Rear QR 120 mm									
Highlights	Frame / Fork									



"I am a lonesome hobo"

TRAVEL

Travel, discover and adventure all belong to hobos' soul: music, literature, art and photograph come together to represent a unique lifestyle where travel is the meaning itself. Hobootleg line gives shape and connects likeminded explorers to the inner wildness and to the "on the road" spirit. Hit the road quick!