



***Bianchi***

PROVISIONAL  
**TECHNICAL  
BOOK**

2023 COLLECTION

**MTTB**

# METHANOL 9.1 CV FS | SRAM XX EAGLE AXS 1X12SP | YSBS7



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

<b>COLOR</b>	MX	<b>CASSETTE / FREEWHEEL</b>	Sram XG-1299 EAGLE RAINBOW 12s, 10,12,14,16,18,21,24,28,32,36,42,52T
<b>FRAME</b>	Methanol 9.1 CV FS FS 100mm 29" full carbon, high modulus monocoque w/CV, 1.5" tapered HT, BB92, only 1x drivetrain compatibility, PM 160mm carbon dropout, 12x148 BOOST, internal cable routing, seatpost diam.31,6mm, shock lenght/travel 190/40mm, w/eyelets 20mm x diam.8mm, sizes 15,17,19,21" UDH compatible drop out	<b>BRAKE</b>	Shimano XTR M9100 F & M9110 R assembled set w/J-Kit for rear only, w/180mm P/P adaptor for front, rear Flat Mount
<b>BOLTS / HARDWARE</b>	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm	<b>DISC ROTOR</b>	Shimano RT-MT900 center lock type w/Ice Tech, 180mm front and 160mm rear
<b>REAR SHOCK</b>	FOX FLOAT DPS Remote - Factory - Kashima - SV EVOL - DPS; LSR, 2 Pos Remote PTU - Cable up - Metric - 190/40 - Neutral Decal	<b>RIM/WHEELSET</b>	DT Swiss XRC 1501 Spline One 29" Carbon 30mm, 15x110TA, 12x148TA rear XD body, 240s hub centerlock, TL-ready rim w/o eyelets including tubeless band and valve, 30mm inner width
<b>SEATPOST CLAMP</b>	MR.Control CL-FJ21-1-35.4, 35,4mm CLAMP	<b>TIRE</b>	Kenda Booster Pro - 29x2.20
<b>HEADSET</b>	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A	<b>STEM</b>	FSA KFX, ST-OS-105/CSI, -12°, size 60mm for 15", 70mm for 17", 80mm for 19 and 90mm for 21", 1,1/8 x diam.31.8mm, stack height 35mm, 3D forged/machined AL2014
<b>FORK</b>	FOX 34 Step-Cast - 29" - Factory - 100mm - FIT4 - Kabolt:15x110 - 1.5T - 44mm Rake + w/ remote bottom left dual-cable for 1xdrivetrain	<b>HANDLEBAR</b>	FSA KFX ICR flat, HB-MK-108-OS760/CCH/Di2, width 760mm, diam.31.8mm, backsweep 9°, upsweep 4°, UD carbon, UD carbon finish
<b>SHIFTER</b>	Sram XX1 EAGLE AXS 12sp discrete clamp	<b>GRIP / TAPE</b>	T-One T-GP43X, Silicone grips, Rounded Pattern, Length: 130mm, Weight: 70g / pair
<b>REAR DERAILLEUR</b>	Sram XX1 EAGLE AXS 12sp	<b>SEATPOST</b>	FSA KFX SBO Di2 compatible SP-RK-154-MTC/Di2, lengh: 350mm- 15", 400mm-17/19/21", diam.31,6mm, 0mm seatback, UD carbon monocoque
<b>BATTERY AND BATTERY CHARGER AXS</b>	Sram EP POWERPACK 1 BATTERY	<b>SADDLE</b>	Fizi:k Taiga, S-alloy rails
<b>CRANKSET</b>	Sram XX1 EAGLE DUB 34T, arm lenght 170mm for 15" and 175mm for 17,19,21", 52mm chainline 148 BOOST compatible		
<b>BOTTOM BRACKET</b>	Sram DUB PRESSFIT BB92 (41x92)		
<b>CHAIN</b>	Sram PC-XX1 EAGLE 12s, 120links w/PowerLock		

# METHANOL 9.2 CV FS | SHIMANO XTR/XT 1X12SP | YSBP6



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

<b>COLOR</b>	MX	<b>CASSETTE / FREEWHEEL</b>	Shimano CS-M8100-12, 11sp, 10-51T
<b>FRAME</b>	Methanol 9.2 CV FS 100mm 29" full carbon, high modulus monocoque w/CV, 1.5" tapered HT, BB92, only 1x drivetrain compatibility, PM 160mm carbon dropout, 12x148 BOOST, internal cable routing, seatpost diam.31.6mm, shock length/travel 190/40mm w/eyelets 20mm x diam.8mm, sizes 15,17,19,21" UDH compatible drop out	<b>BRAKE</b>	Shimano XT M8100 F & M8110 R assembled set w/J-Kit for rear only, w/180mm P/P adaptor for front, resin pad
<b>BOLTS / HARDWARE</b>	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm, w/Bianchi & Carbon-Ti white logo	<b>DISC ROTOR</b>	Shimano RT-MT800 center lock type w/Ice Tech, 180mm front and 160mm rear
<b>REAR SHOCK</b>	Sram Sid Luxe Select + RLR, 190/40mm, Debonair, w/eyelets 20mm x diam.8mm	<b>RIM/WHEELSET</b>	DT Swiss XR 1700 Spline 29" 25mm, 15x110TA front, 12x148TA rear Shimano 12speed body, 350 hub w/Ratchet System, center lock, TL-ready rim w/o eyelets including tubeless band and valve, straight pull spokes, 25mm inner width
<b>SEATPOST CLAMP</b>	MR.Control CL-FJ21-1-35.4, 35,4mm CLAMP	<b>TIRE</b>	kenda Booster Pro - 29x2.20, Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
<b>HEADSET</b>	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A	<b>STEM</b>	Reparto Corse, +/-7°, size 60mm for 15", 70mm for 17", 80mm for 19 and 90mm for 21", 1,1/8 x diam.31.8mm, 3D forged AL7050-T6 w/forged alloy 4-bolt faceplate
<b>FORK</b>	Rock Shox SID SL SELECT 29", CHARGER RL, Solo Air 100mm w/Tall oneLoc remote left, 1.5 alu HT, 15X110mm Maxle Stealth, 32mm stanchions, PM 160mm disc mount, 44mm offset,	<b>HANDLEBAR</b>	Reparto Corse MTB11AF.2 FLAT, width 740mm, diam.31,8mm, backsweep 9°, double butted AL2014-T6, anodized sand blast Black w/ glossy black graphics
<b>SHIFTER</b>	Shimano XT, 1x12 w/o Optical Gear Display, SL-M8100R w/2050mm inner	<b>GRIP / TAPE</b>	T-One T-GP43X, Silicone grips, Rounded Pattern, length: 130mm, Weight: 70g / pair
<b>REAR DERAILLEUR</b>	Shimano XTR Shadow+ Design 12s, RD-M9100SGS top normal,for 10-51T max	<b>SEATPOST</b>	Reparto Corse Carbon SBO, L350mm for 15" and 400mm for 17,19,21", diam.31.6mm, 0mm seatback
<b>CRANKSET</b>	XTR FC-M9120-1, 34T, arm length: 170mm- 15", 175mm-17/19/21", 168mm Q- Factor, 52mm chainline	<b>SADDLE</b>	Fi'zi:k Taiga, S-alloy rails
<b>BOTTOM BRACKET</b>	Shimano SM-BB94-41A for BB92		
<b>CHAIN</b>	Shimano CN-M8100, 12sp, 118 link		

# METHANOL 9.3 CV FS | SHIMANO XT/SLX 1X12SP | YSBS9



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

<b>COLOR</b>	MX
<b>FRAME</b>	Methanol 9.3 CV FS 100mm 29" full carbon, high modulus monocoque w/CV, 1.5" tapered HT, BB92, only 1x drivetrain compatibility, PM 160mm carbon dropout, 12x148 BOOST, internal cable routing, seatpost diam.31,6mm, shock length/travel 190/40mm w/eyelets 20mm x diam.8mm, sizes 15,17,19,21" UDH compatible drop out
<b>BOLTS / HARDWARE</b>	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm, w/Bianchi & Carbon
<b>REAR SHOCK</b>	Sram Sid Luxe Select + RLR, 190/40mm, Debonair, w/eyelets 20mm x diam.8mm
<b>SEATPOST CLAMP</b>	MR.Control, 35,4mm CLAMP
<b>HEADSET</b>	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A (H0415G0000E101)
<b>FORK</b>	Rock Shox SID SL SELECT 29", CHARGER RL, Solo Air 100mm w/Tall oneLoc remote left, 1.5 alu HT, 15X110mm Maxle Stealth, 32mm stanchions, magnesium lowers, PM 160mm disc mount, 44mm offset
<b>SHIFTER</b>	Shimano SLX, w/o Optical Gear Display, w/2050mm inner
<b>REAR DERAILLEUR</b>	Shimano XT 12sp, RD-M8100-SGS top normal, direct attachment, for 10-51T max
<b>CRANKSET</b>	Shimano, 32T, arms lengths: 170mm-15", 175mm-17/19/21", 52mm CHAINLINE
<b>BOTTOM BRACKET</b>	Shimano Pressfit 41x92mm
<b>CHAIN</b>	ShimanoCN-M7100, 12sp, 118 link

<b>CASSETTE / FREEWHEEL</b>	Shimano, 12sp, 10-51T
<b>BRAKE</b>	Shimano M6100 w/rear J-Kit only
<b>DISC ROTOR</b>	Shimano RT-54, centerlock type, 180mm front and 160mm rear
<b>RIM/WHEELSET</b>	Reparto corse KOM light i25 29" Rim, 32 hole Pre Anodized Black PV Vinylx6 pcs, 622x25
<b>TIRE</b>	Kenda Booster Pro - 29x2.20
<b>STEM</b>	Reparto Corse, +/-7°, size 60mm for 15", 70mm for 17", 80mm for 19 and 90mm for 21", 1,1/8 x diam.31.8mm
<b>HANDLEBAR</b>	Reparto Corse, width 740mm, diam.31,8mm, backsweep 9°, double butted AL2014-T6
<b>GRIP / TAPE</b>	T-One T-GP43X, Rounded Pattern, Length: 130mm, Weight: 70g
<b>SEATPOST</b>	Reparto Corse, length: 350mm-15", 400mm-17/19/21", diam.31.6mm, 0mm seatback
<b>SADDLE</b>	Fizi:k Taiga, S-alloy rails



# METHANOL 9.1 CV RS | STRAM XX EAGLE AXS 1X12SP | YSB73



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

<b>COLOR</b>	MY
<b>FRAME</b>	Methanol CV RS 29" full carbon with Countervail, high modulus monocoque, 1.5" tapered HT, Pressfit BB92 (41x92), 1x drivetrains only, 27,2mm seatpost, PM 160mm carbon dropout 12x148 BOOST, internal cable routing Di2 compatible, sizes 15,17,19,21"
<b>BOLTS / HARDWARE</b>	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm (15"> 2 pcs-17,19,21">4pcs), w/Bianchi & Carbon-Ti white logo
<b>SEATPOST CLAMP</b>	31,8mm w/Bianchi logo
<b>HEADSET</b>	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A
<b>FORK</b>	FOX 32 Step-Cast - 29" - Factory - 100mm - FIT4 - Matte Black - Neutral Logo - Kabolt:15x110 - 1.5T - 44mm Rake w/new remote bottom left single-cable for 1xdrivetrain
<b>SHIFTER</b>	Sram XX1 EAGLE AXS 12sp MMX
<b>REAR DERAILLEUR</b>	Sram XX1 EAGLE AXS 12sp
<b>BATTERY</b>	Sram EP POWERPACK 1 BATTERY
<b>CRANKSET</b>	Sram XX1 EAGLE DUB 34T, arm lenght 170mm for 15" and 175mm for 17,19,21", carbon arms, 52mm chainline 148 BOOST compatible, direct mount, CNC-machined rings
<b>BOTTOM BRACKET</b>	Sram DUB PRESSFIT BB92 (41x92)
<b>CHAIN</b>	Sram PC-XX1 EAGLE 12s, 120links w/PowerLock

<b>CASSETTE / FREEWHEEL</b>	Sram XG-1299 EAGLE RAINBOW 12s, 10,12,14,16,18,21,24,28,32,36,42,52T
<b>BRAKE</b>	Sram Level Ultimate, aluminium caliper, carbon lever, 20mm bracket for front 180mm, direct rear + matchmakerX clamp + hinge clamp right
<b>DISC ROTOR</b>	Sram Centerline X 180mm front, 160mm rear, 2-pieces black 6 hole
<b>RIM/WHEELSET</b>	DT Swiss XRC 1501 Spline One 29" Carbon 30mm, 15x110TA, 12x148TA rear XD body, 240s hub 6-BOLTS, TL-ready rim w/o eyelets including tubeless band and valve, straight pull spokes, 30mm inner width
<b>TIRE</b>	Kenda Booster Pro - 29x2.20
<b>STEM</b>	FSA KFX, ST-OS-105/CSI, -12°, size: 70mm-15", 80mm-17", 90mm-19/21", 1.1/8 x diam.31,8mm, stack height 35mm
<b>HANDLEBAR</b>	FSA KFX ICR flat, HB-MK-108-OS760/CCH/Di2, width 760mm, diam.31.8mm, backsweep 9°, upsweep 4°
<b>GRIP / TAPE</b>	T-One T-GP43X, Silicone grips, Rounded Pattern, Length: 130mm, Weight: 70g / pair
<b>SEATPOST</b>	FSA KFX SBO Di2 compatible SP-RK-154-MTC/Di2, L350mm for 15" and L400mm for 17,19,21", diam.27,2mm, 0mm seatback
<b>SADDLE</b>	Fizi:k Taiga, S-alloy rails

# METHANOL 9.2 CV RS | SHIMANO XTR 1X12SP | YSB74



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

<b>COLOR</b>	MY	<b>CASSETTE / FREEWHEEL</b>	Shimano, 12sp, 10-12-14-16-18-21-24-28-33-39-45-51T
<b>FRAME</b>	Methanol CV RS 29" full carbon with Countervail, high modulus monocoque, 1.5" tapered HT, Pressfit BB92 (41x92), 1x drivetrains only, 27,2mm seatpost, PM 160mm carbon dropout 12x148 BOOST, internal cable routing Di2 compatible, sizes 15,17,19,21"	<b>BRAKE</b>	Shimano XTR M9100 F/R assembled set w/J-Kit for rear only, w/180mm P/P adaptor for front, resin pad
<b>BOLTS / HARDWARE</b>	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm (15"> 2 pcs-17,19,21">4pcs), w/Bianchi & Carbon-Ti white logo	<b>DISC ROTOR</b>	Shimano RT-MT900 center lock type w/Ice Tech, 180mm front and 160mm rear
<b>SEATPOST CLAMP</b>	31,8mm w/Bianchi logo	<b>RIM/WHEELSET</b>	DT Swiss XR 1700 Spline 29" 25mm, 15x110TA front, 12x148TA rear Shimano 12speed body, 350 hub w/Ratchet System
<b>HEADSET</b>	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A	<b>TIRE</b>	Kenda Booster Pro - 29x2.20
<b>FORK</b>	FOX 32 Step-Cast - 29" - Factory - 100mm - FIT4 - Kabolt:15x110 - 1.5T - 44mm Rake w/new remote bottom left single-cable for 1xdrivetrain	<b>STEM</b>	FSA SL-K, ST-OS-104C, +/-12°, size: 70mm-15", 80mm-17", 90mm-19/21", 1.1/8 x diam.31,8mm, stack height 34mm, 3D Forged/CNC AL2014
<b>SHIFTER</b>	Shimano XTR 1x12 w/o Optical Gear Display, I-spec EV, SL- M9100IR w/2050mm inner	<b>HANDLEBAR</b>	FSA SL-K flat, HB-XC-135-OS740/CSI, width 740mm, diam.31.8mm, backsweep 9°, upsweep 4°
<b>REAR DERAILLEUR</b>	Shimano XTR 12sp, RD-M9100SGS top normal, direct attachment, for 10-51T max	<b>GRIP / TAPE</b>	T-One T-GP43X, Silicone grips, Rounded Pattern, Length: 130mm, Weight: 70g / pair
<b>CRANKSET</b>	Shimano XTR, 34T, arm lengths: 170mm-15", 175mm-17/19/21", 162mm Q- Factor, 52mm chainline	<b>SEATPOST</b>	FSA SL-K SBO, lenght: 350mm-15"mm, 400mm-17/19/21", diam.27,2mm, 0mm seatback
<b>BOTTOM BRACKET</b>	Shimano SM-BB94-41A for BB92	<b>SADDLE</b>	Fi'zi:k Taiga, S-alloy rails
<b>CHAIN</b>	Shimano, 12sp, 118 link w/quick link		

# METHANOL 9.3 CV RS | SHIMANO XT 1X12SP | YSBRI



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

<b>COLOR</b>	MY	<b>CASSETTE / FREEWHEEL</b>	Shimano, 11sp, 10-51T
<b>FRAME</b>	TM19 Methanol CV RS 29" full carbon with Countervail, high modulus monocoque, 1.5" tapered HT, Pressfit BB92 (41x92), 1x drivetrains only, 27,2mm seatpost, PM 160mm carbon dropout 12x148 BOOST, internal cable routing Di2 compatible, sizes 15,17,19,21"	<b>BRAKE</b>	Shimano XT M8100 F/R assembled set w/J-Kit for rear only, w/180mm P/P adaptor for front, resin pad w/o fin
<b>BOLTS / HARDWARE</b>	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm (15"> 2 pcs-17,19,21">4pcs), w/Bianchi & Carbon-Ti white logo	<b>DISC ROTOR</b>	Shimano RT70, centerlock type, 180mm front and 160mm rear
<b>SEATPOST CLAMP</b>	31,8mm w/Bianchi logo	<b>RIM/WHEELSET</b>	DT Swiss XR 1700 Spline 29" 25mm, 15x110TA front, 12x148TA rear Shimano 12speed body, 350 hub w/Ratchet System
<b>HEADSET</b>	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A	<b>TIRE</b>	Kenda Booster Pro - 29x2.20, Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
<b>FORK</b>	Rock Shox SID SL SELECT 29", CHARGER RL, Solo Air 100mm w/Tall oneLoc remote left, 1.5 alu HT, 15X110mm Maxle Stealth, 32mm stanchions, magnesium lowers, PM 160mm disc mount, 44mm offset	<b>STEM</b>	Reparto Corse, +/-7°, size: 70mm-15", 80mm-17", 90mm-19/21", 1.1/8 x diam.31.8mm
<b>SHIFTER</b>	Shimano XT 1x12sp, w/o Optical Gear Display, I-spec EV, SL- M8100R w/2050mm inner	<b>HANDLEBAR</b>	Reparto Corse, width 740mm, diam.31,8mm, backsweep 9°
<b>REAR DERAILLEUR</b>	Shimano XT 12sp, RD-M8100-SGS top normal, direct attachment, for 10-51T max	<b>GRIP / TAPE</b>	T-One T-GP43X, Silicone grips, Rounded Pattern, Length: 130mm, Weight: 70g / pair
<b>CRANKSET</b>	Shimano XT, 32T, arms lengths: 170mm-15", 175mm-17/19/21", black, 52mm	<b>SEATPOST</b>	Reparto Corse, length: 350mm-15", 400mm-17/19/21", diam.27.2mm, 0mm seatback
<b>BOTTOM BRACKET</b>	Shimano Pressfit 41x92mm BB-MT800-PA	<b>SADDLE</b>	Fi'zi:k Taiga, S-alloy rails
<b>CHAIN</b>	Shimano, 12sp, 118 link		



## NITRON 9.2 | SHIMANO XT/SLX 1X12SP | YSBP4



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

<b>COLOR</b>	NH - NM - NF
<b>FRAME</b>	Nitron 29" full carbon monocoque, 1.5" tapered HT, BB92, seatpost diam.27,2mm, high direct mount, PM 160mm carbon dropout 12x148mm BOOST Thru axle, internal cable routing, sizes 15-17-19-21"
<b>BOLTS / HARDWARE</b>	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)
<b>SEATPOST CLAMP</b>	Promax MX-112C diam.31,8mm
<b>HEADSET</b>	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A
<b>FORK</b>	Rock Shox SID SL 29", damper Rush RL, Debon Air 100mm w/Tall oneLoc remote left, 1.5 alu HT, 15X110mm Maxle Stealth, 32mm stanchions, magnesium lowers, PM 160mm disc mount, 44mm offset
<b>SHIFTER</b>	Shimano SLX 1x12 I-spec EV, w/o Optical Gear Display, w/2050mm inner
<b>REAR DERAILLEUR</b>	Shimano XT Shadow + Design 12s, RD-M8100-SGS top normal, direct attachment, for 10-51T max
<b>CRANKSET</b>	Shimano XT, 32T, arms lengths: 170mm-15", 175mm-17/19/21", 52mm CHAINLINE
<b>BOTTOM BRACKET</b>	Shimano Pressfit 41x92mm BB-MT800-PA
<b>CHAIN</b>	Shimano CN-M7100, 12sp, 120 link

<b>CASSETTE / FREEWHEEL</b>	Shimano CS-M7100-12, 12sp, 10-51T
<b>BRAKE</b>	Shimano M6100 w/rear J-Kit only, resin pad, w/SM-MA-F180P/P2 adapter only for front
<b>DISC ROTOR</b>	Shimano SM-RT54 CL 180mm front & 160mm rear, CenterLock
<b>RIM/WHEELSET</b>	Velomann KOM light i25, 29" Rim, 32 hole Pre Anodized Black PV Vinylx6 pcs, 622x25
<b>TIRE</b>	Kenda Booster Pro - 29x2.20, Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
<b>STEM</b>	Velomann +/-7°, 1,1/8 x diam.31.8mm, size: 70mm-15", 80mm-17", 90mm-19/21"
<b>HANDLEBAR</b>	Velomann Flat top, width 720mm, diam.31,8mm, 9° backsweep, DB Alloy 6061-T6
<b>GRIP / TAPE</b>	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
<b>SEATPOST</b>	Velomann, lenght: 350mm-15", 400mm-17/19/21", diam.27.2mm, 0mm seatback
<b>SADDLE</b>	Velomann, manganese rail, lenght 277mm x width 144mm

# NITRON 9.3 | SHIMANO XT/SLX 1X12SP | YRBP5



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

<b>COLOR</b>	NH - NM - NF
<b>FRAME</b>	Nitron 9.3, 29" full carbon monocoque, 1.5" tapered HT, BB92, seatpost diam.27,2mm, high direct mount, PM 160mm carbon dropout 12x148mm BOOST Thru axle, internal cable routing, sizes 15-17-19-21"
<b>BOLTS / HARDWARE</b>	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)
<b>SEATPOST CLAMP</b>	Promax MX-112C diam.31,8mm, elegant, stylish, light & strong seat clamp w/angled cut for carbon frames
<b>HEADSET</b>	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A
<b>FORK</b>	Rock Shox Judy Gold RL 29" Solo Air 100mm w/Tall oneLoc remote left, 1.5 Tapered HT, 15x110mm BOOST Maxle stealth, 30mm stanchions, magnesium lowers, PM 160mm disc mount, 51mm offset
<b>SHIFTER</b>	Shimano SLX 1x12 I-spec EV, w/o Optical Gear Display, w/2050mm inner
<b>REAR DERAILLEUR</b>	Shimano XT Shadow + Design 12sp, RD-M8100-SGS top normal, direct attachment, for 10-51T max
<b>CRANKSET</b>	Shimano, 32T, arms lengths: 170mm-15", 175mm-17/19/21", 52mm CHAINLINE
<b>BOTTOM BRACKET</b>	Shimano Pressfit 41x92mm
<b>CHAIN</b>	Shimano 12sp, 120 link

<b>CASSETTE / FREEWHEEL</b>	Shimano, 12sp, 10-51T
<b>BRAKE</b>	Shimano M4100 w/rear J-Kit only, w/SM-MA-F180P/P2 adapter only for front
<b>DISC ROTOR</b>	Shimano SM-RT10 CL 180mm front & 160mm rear
<b>RIM/WHEELSET</b>	Velomann KOM light i25 29" Rim, 32 hole Pre Anodized Black PV Vinylx6 pcs, 622x25
<b>TIRE</b>	Kenda Booster Pro - 29x2.20, Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
<b>STEM</b>	Velomann +/-7°, 1,1/8 x diam.31.8mm, size: 70mm-15", 80mm-17", 90mm-19/21"
<b>HANDLEBAR</b>	Velomann Flat top, width 720mm, diam.31,8mm, 9° backsweep, DB Alloy 6061-T6
<b>GRIP / TAPE</b>	T-One Rock T-GP34 single lock grip, TPR, plastic inner body, aluminium clamp
<b>SEATPOST</b>	Velomann, length: 350mm-15", 400mm-17/19/21", diam.27.2mm, 0mm seatback
<b>SADDLE</b>	Velomann, manganese rail, length 277mm x width 144mm

# NITRON 9.4 | SHIMANO XT/DEORE 1X12SP | YSB07



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

<b>COLOR</b>	NH - NM - NF	<b>CASSETTE / FREEWHEEL</b>	Shimano, 12sp, 10-51T
<b>FRAME</b>	Nitron 9.4, 29" full carbon monocoque, 1.5" tapered HT, BB92, seatpost diam.27,2mm, high direct mount, PM 160mm carbon dropout 12x148mm BOOST Thru axle, internal cable routing, sizes 15-17-19-21"	<b>BRAKE</b>	Shimano MT200 w/rear J-Kit only, Shimano logo, resin pad, w/SM-MA-F180P/P2 adapter only for front
<b>BOLTS / HARDWARE</b>	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)	<b>DISC ROTOR</b>	Shimano SM-RT10 CL 180mm front & 160mm rear, CenterLock
<b>SEATPOST CLAMP</b>	Promax MX-112C diam.31,8mm, elegant, stylish, light & strong seat clamp w/angled cut for carbon frames	<b>RIM/WHEELSET</b>	Velomann KOM light i25 29" Rim, 32 hole Pre Anodized Black PV Vinylx6 pcs, 622x25
<b>HEADSET</b>	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A	<b>TIRE</b>	Kenda Booster Pro - 29x2.20, Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
<b>FORK</b>	Rock Shox Judy Silver TK 29" Solo Air 100mm w/Poploc remote left, 1.5 Tapered HT, 15x110mm BOOST Maxle stealth, 30mm stanchions, magnesium lowers, PM 160mm disc mount, 51mm offset	<b>STEM</b>	Velomann +/-7°, 1,1/8 x diam.31.8mm, size: 70mm-15", 80mm-17", 90mm-19/21"
<b>SHIFTER</b>	Shimano Deore 1x12sp, clamp band	<b>HANDLEBAR</b>	Velomann Flat top, width 720mm, diam.31,8mm, 9° backsweep, DB Alloy 6061-T6
<b>REAR DERAILLEUR</b>	Shimano XT 12sp, for 10-51T max	<b>GRIP / TAPE</b>	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
<b>CRANKSET</b>	Shimano, 32T, arms lengths: 170mm-15", 175mm-17/19/21", 52mm CHAINLINE	<b>SEATPOST</b>	Velomann, length: 350mm-15", 400mm-17/19/21", diam.27.2mm, 0mm seatback
<b>BOTTOM BRACKET</b>	Shimano Pressfit 41x92mm	<b>SADDLE</b>	Velomann, manganese rail, length 277mm x width 144mm
<b>CHAIN</b>	Shimano, 12sp, 120 link		



# MAGMA 9 S BOOST | SHIMANO DEORE 1X12SP | YSB11



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

<b>COLOR</b>	6K: CK16/ Black-White Full Glossy 6B: Black/ CK16-White Full Glossy
<b>FRAME</b>	MAGMA 9 S 29" alu 2019, 1.1/8" HT, BSA 68mm, seatpost diam.27,2mm, HDM bottom pull or side-swing, PM 160mm disc lower mounting dropouts BOOST 9x141mm QR, ST w/o V-Brake studs, internal cable routing, sizes 15-17-19-21"
<b>BOLTS / HARDWARE</b>	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)
<b>SEATPOST CLAMP</b>	Promax 339QX diam.31,8mm, CNC & Fine polished surface, hand friendly alloy clamp & lever
<b>HEADSET</b>	FSA #10 steel cups ID diam.44mm w/16.2mm top cover, retained bearings MR013, top & bottom depth 9mm, stack height 22.2mm
<b>FORK</b>	Rock Shox Judy Silver TK 29" Solo Air, 100mm w/poploc remote left, 1.1/8" Alu HT, 9mm QR axle, 30mm stanchions, magnesium lowers, PM 160mm disc mount, 51mm offset
<b>SHIFTER</b>	Shimano Deore SL-M6100-R 1x12
<b>REAR DERAILLEUR</b>	Shimano Deore 12sp
<b>CRANKSET</b>	Shimano, 32T, arms lengths: 170mm-15", 175mm-17/19/21", 52mm CHAINLINE
<b>BOTTOM BRACKET</b>	included in the cranksset
<b>CHAIN</b>	Shimano, 12sp, 122 link

<b>CASSETTE / FREEWHEEL</b>	Shimano, 12sp, 10-51T
<b>BRAKE</b>	Shimano MT200KIT assembled set BRMT200KIT(L&R) w/o adapters w/J-kit only for rear, resin pad, w/o rotor
<b>DISC ROTOR</b>	Shimano 160mm front & rear, CenterLock w/CL ring
<b>RIM/WHEELSET</b>	Velomann, 622x25c, pin joint, 32h
<b>TIRE</b>	Kenda Booster - 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
<b>STEM</b>	Velomann +/-7°, 1.1/8 x diam.31.8mm, 80mm-15/17", 90mm-19/21"
<b>HANDLEBAR</b>	Velomann, width 720mm, diam.31,8mm, 9° backsweep, DB Alloy 6061-T6
<b>GRIP / TAPE</b>	T-one T-GP48B, one piece grip, TPR material, 130mm length
<b>SEATPOST</b>	Velomann, diam.27,2mm, 0mm seatback, length: 350mm-15/17/19/21"
<b>SADDLE</b>	Velomann, 140mm width, Steel rails black, PVC soft touch



# MAGMA 9 BOOST | SHIMANO DEORE 1X11SP | YSBR9



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

<b>COLOR</b>	6K: CK16/ Black-White Full Glossy	<b>CASSETTE / FREEWHEEL</b>	Shimano, 11sp, 11-51T, 11-13-15-18-21-24-28-33-39-45-51T
<b>FRAME</b>	MAGMA 29" alu 2019, 1,1/8" HT, BSA 68mm, seatpost diam.27,2mm, HDM bottom pull or side-swing, PM 160mm disc lower mounting dropouts BOOST 9x141mm QR, ST w/o V-Brake studs, internal cable routing, sizes 15-17-19-21"	<b>BRAKE</b>	Shimano MT200KIT assembled set BRMT200KIT(L&R) w/o adapters w/J-kit only for rear, resin pad, w/o rotor
<b>BOLTS / HARDWARE</b>	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)	<b>DISC ROTOR</b>	Shimano SM-RT10, 160mm front & rear
<b>SEATPOST CLAMP</b>	Promax 339QX diam.31,8mm, "zero" friction & perfect match skewer, CNC & Fine polished surface, hand friendly alloy clamp & lever	<b>RIM/WHEELSET</b>	Velomann, 622x25c, pin joint, 32h, anodized, no eyelet, Presta valve hole
<b>HEADSET</b>	FSA #10 steel cups ID diam.44mm w/16.2mm top cover, retained bearings MR013, top & bottom depth 9mm, stack height 22.2mm	<b>TIRE</b>	Kenda Booster - 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
<b>FORK</b>	Rock Shox Judy TK 29" 100mm w/Remote Lockout,1,1/8" steel HT, alloy crown, coil spring w/pre-load adjust, steel 30mm stanchions, magnesium lowers w/PM 160mm disc mount, 9mm QR	<b>STEM</b>	Velomann +/-7°, 1,1/8 x diam.31.8mm, 80mm for 15,17" and 90mm for 19-21"
<b>SHIFTER</b>	Shimano Deore SL-M5100-R 1x11	<b>HANDLEBAR</b>	Velomann Flat top, width 720mm, diam.31,8mm, 9° backsweep, DB Alloy 6061-T6
<b>REAR DERAILLEUR</b>	Shimano Deore RD-M5100 1x11sp, 11-51T Max	<b>GRIP / TAPE</b>	T-one T-GP48B, one piece grip, TPR material, 130mm length
<b>CRANKSET</b>	Shimano, 32T, arms lengths: 170mm-15", 175mm-17/19/21", 52mm CHAINLINE	<b>SEATPOST</b>	Velomann, diam.27,2mm, 0mm seatback, length: 350mm-15/17/19/21"
<b>BOTTOM BRACKET</b>	included in the crankset	<b>SADDLE</b>	Velomann , 140mm width, Steel rails black, PVC soft touch
<b>CHAIN</b>	KMC X11 EPT, 11sp, 122 link, EPT finish		

# MAGMA 9.2 | SHIMANO ALIVIO MIX 2X9SP | YSBW2



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

<b>COLOR</b>	6K: CK16/ Black-White Full Glossy MB: Black Frame/ Silver-Yellow Dec Matt	<b>CASSETTE / FREEWHEEL</b>	Shimano HG200-9s, 11-13-15-17-20-23-26-30-36T
<b>FRAME</b>	MAGMA 29" alu 2019, 1,1/8" HT, BSA 68mm, seatpost diam.27,2mm, low clamp diam.31,8mm bottom pull or side-swing, PM 160mm disc lower mounting dropouts 9x135mm QR, ST w/o V-Brake studs, internal cable routing, sizes 15-17-19-21"	<b>BRAKE</b>	Shimano MT200KIT assembled set BRMT200KIT(L&R) w/o adapters w/J-kit only for rear, resin pad, w/o rotor
<b>BOLTS / HARDWARE</b>	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)	<b>DISC ROTOR</b>	Shimano SM-RT10, 160mm front & rear, CenterLock w/CL ring
<b>SEATPOST CLAMP</b>	Promax 339QX diam.31,8mm, "zero" friction & perfect match skewer, CNC & Fine polished surface, hand friendly alloy clamp & lever	<b>RIM/WHEELSET</b>	Velomann, 622x25c, pin joint, 32h, anodized, no eyelet, Presta valve hole
<b>HEADSET</b>	FSA #10 steel cups ID diam.44mm w/16.2mm top cover (H2079B), retained bearings MR013, top & bottom depth 9mm, stack height 22.2mm	<b>TIRE</b>	Kenda Booster - 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
<b>FORK</b>	Suntour XCM HLO DS 29" 100mm, with HLO Hydraulic lockout, 1-1/8" steer HT, alloy crown, coil spring w/pre-load adjust, steel 30mm stanchions, alloy lowers w/PM 160mm disc mount, 9mm QR	<b>STEM</b>	Velomann +/-7°, 1,1/8 x diam.31.8mm, 80mm for 15,17" and 90mm for 19-21"
<b>SHIFTER</b>	Shimano Alivio SL-M3100 2x9 RapidFire Plus, w/1800-2050mm inner	<b>HANDLEBAR</b>	Velomann rise, width 720mm, diam.31,8mm, rise 15mm, backsweep 9°
<b>REAR DERAILLEUR</b>	Shimano Alivio 9s, RDM3100 SGS top-normal, direct attachment, Shadow Design for 11-36T max	<b>GRIP / TAPE</b>	T-one T-GP48B, one piece grip, TPR material, 130mm length
<b>FRONT DERAILLEUR</b>	Shimano FD-M2020-TS low clamp diam.31,8mm, 2x9s, dual pull, for CS angle 64/69°, for 36T w/14T capacity, CL 48.8/51.8mm	<b>SEATPOST</b>	Velomann, diam.27,2mm, 0mm seatback, length 350mm for 15-17-19-21"
<b>CRANKSET</b>	Shimano , 36/22T w/o chainguard, arms length: 170mm-15/17", 175mm-19/21", 9s compatibility for HG chain	<b>SADDLE</b>	Velomann, 140mm width, Steel rails black, PVC soft touch 7723
<b>BOTTOM BRACKET</b>	Shimano BB-UN101 , Axle LL123 (122,5mm) w/o fixing bolt		
<b>CHAIN</b>	KMC HV900 (Z9) 9s, 1/2"x11/128", 118link		

# DUEL 29S | SHIMANO ALIVIO MIX 2X9SP | YSBC8



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

<b>COLOR</b>	DA:CK16/Azzurra Blue DB: Serial Black/Azzurra Blue	<b>CASSETTE / FREEWHEEL</b>	Shimano HG200-9s, 11-13-15-17-20-23-26-30-36T
<b>FRAME</b>	Duel 29" alu 2017, curved TT PG, 1,1/8" HT, BSA 68mm, seatpost diam.27,2mm, seat tube diam.31,8mm, FD top pull, INTL 160mm disc mounting dropouts 9x135mm QR, ST w/V-Brake studs, external cable routing under TT, sizes 15-17-19-21"	<b>BRAKE</b>	Shimano MT200KIT assembled set BRM200KIT(L&R) w/rear adapter for IS 160mm, resin pad, w/o rotor
<b>BOLTS / HARDWARE</b>	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)	<b>DISC ROTOR</b>	Shimano SM-RT10, 160mm front & rear, CenterLock w/CL ring, for resin pad only
<b>SEATPOST CLAMP</b>	Promax 339QX diam.31,8mm, "zero" friction & perfect match skewer, CNC & Fine polished surface, hand friendly alloy clamp & lever	<b>RIM/WHEELSET</b>	Velomann DP2.5, 584x25c, pin joint, 32h, anodized, no eyelet, Presta valve hole
<b>HEADSET</b>	FSA #10 steel cups ID diam.44mm w/16.2mm top cover (H2079B), retained bearings MR013, top & bottom depth 9mm, stack height 22.2mm	<b>TIRE</b>	Kenda Booster - 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
<b>FORK</b>	Suntour XCM HLO DS 27,5" 100mm, with HLO Hydraulic Lockout, 1-1/8" steer HT, alloy crown, coil spring w/pre-load adjust, steel 30mm stanchions, alloy lowers w/PM 160mm disc mount, 9mm QR	<b>STEM</b>	Velomann +/-7°, 1,1/8 x diam.31.8mm, 80mm for 15,17" and 90mm for 19-21"
<b>SHIFTER</b>	Shimano Alivio SL-M3100 2x9 RapidFire Plus, w/1800-2050mm inner	<b>HANDLEBAR</b>	Velomann rise, width 720mm, diam.31,8mm, rise 15mm, backsweep 9°
<b>REAR DERAILLEUR</b>	Shimano Alivio 9s, RDM3100 SGS top-normal, direct attachment, Shadow Design for 11-36T max	<b>GRIP / TAPE</b>	T-one T-GP48B, one piece grip, TPR material, 130mm length
<b>FRONT DERAILLEUR</b>	Shimano FD-M2020-TS low clamp diam.31,8mm, 2x9s, dual pull, for CS angle 64/69°, for 36T w/14T capacity, CL 48.8/51.8mm	<b>SEATPOST</b>	Velomann, diam.27,2mm, 0mm seatback, length: 300mm-15", 350mm-17/19/21"
<b>CRANKSET</b>	Shimano, 36/22T w/o chainguard, arms length: 170mm-15/17", 175mm-19/21", 9s compatibility for HG chain, for square LL123 BB	<b>SADDLE</b>	Velomann, 140mm width, Steel rails black, PVC soft touch 7723
<b>BOTTOM BRACKET</b>	Shimano BB-UN101, Axle LL123 (122,5mm) w/o fixing bolt		
<b>CHAIN</b>	KMC HV900 (Z9) 9s, 1/2"x11/128", 116link		



# DUEL 27S | SHIMANO ALIVIO MIX 2X9SP | YSBC7



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

<b>COLOR</b>	DA:CK16/Azzurra Blue DB: Serial Black/Azzurra Blue	<b>CASSETTE / FREEWHEEL</b>	Shimano HG200-9s, 11-13-15-17-20-23-26-30-36T
<b>FRAME</b>	Duel 27,5" alu 2013, curved TT PG, 1,1/8" HT, BSA 68mm, seatpost diam.27,2mm, seat tube diam.31,8mm, FD top pull, INTL 160mm disc mounting dropouts 9x135mm QR, ST w/V-Brake studs, external cable routing under TT, sizes 15-17-19-21"	<b>BRAKE</b>	Shimano MT200KIT assembled set BRM200KIT(L&R) w/rear adapter adapter for IS 160mm, resin pad, w/o rotor
<b>BOLTS / HARDWARE</b>	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)	<b>DISC ROTOR</b>	Shimano SM-RT10, 160mm front & rear, CenterLock w/CL ring, for resin pad only
<b>SEATPOST CLAMP</b>	Promax 339QX diam.31,8mm, "zero" friction & perfect match skewer, CNC & Fine polished surface, hand friendly alloy clamp & lever	<b>RIM/WHEELSET</b>	Velomann, 584x25c, pin joint, 32h, anodized, no eyelet, Presta valve hole
<b>HEADSET</b>	FSA #10 steel cups ID diam.44mm w/16.2mm top cover (H2079B), retained bearings MR013, top & bottom depth 9mm, stack height 22.2mm	<b>TIRE</b>	Kenda Booster - 27,5x2.2, DTC compound, 30Tpi, wire, ETRTO 56-584
<b>FORK</b>	Suntour XCM HLO DS 27,5" 100mm, with HLO Hydraulic Lockout, 1-1/8" steer HT, alloy crown, coil spring w/pre-load adjust, steel 30mm stanchions, alloy lowers w/PM 160mm disc mount, 9mm QR	<b>STEM</b>	Velomann +/-7°, 1,1/8 x diam.31.8mm, 80mm for 15,17" and 90mm for 19-21"
<b>SHIFTER</b>	Shimano Alivio SL-M3100 2x9 RapidFire Plus, w/1800-2050mm inner	<b>HANDLEBAR</b>	Velomann rise, width 720mm, diam.31,8mm, rise 15mm, backsweep 9°
<b>REAR DERAILEUR</b>	Shimano Alivio 9s, RDM3100 SGS top-normal, direct attachment, Shadow Design for 11-36T max	<b>GRIP / TAPE</b>	T-one T-GP48B, one piece grip, TPR material, 130mm length
<b>FRONT DERAILEUR</b>	Shimano FD-M2020-TS low clamp diam.31,8mm, 2x9s, dual pull, for CS angle 64/69°, for 36T w/14T capacity, CL 48.8/51.8mm	<b>SEATPOST</b>	Velomann, diam.27,2mm, 0mm seatback, length: 300mm-15", 350mm-17/19/21"
<b>CRANKSET</b>	Shimano, 36/22T w/o chainguard, arms lenght: 170mm-15/17", 175mm-19/21", 9s compatibility for HG chain, for square LL123 BB	<b>SADDLE</b>	Velomann, 140mm width, Steel rails black, PVC soft touch 7723
<b>BOTTOM BRACKET</b>	Shimano BB-UN101, Axle LL123 (122,5mm) w/o fixing bolt		
<b>CHAIN</b>	KMC HV900 (Z9) 9s, 1/2"X11/128", 116link		